

Full Length Research Paper

New approach for synthesis of hexa (allylamino) cyclotriphosphazene catalysed by an ecologically friendly catalyst called Maghnite-H⁺ derived from Algerian MMT

Medjdoub Lahouaria, Rahmouni Abdelkader* and Belbachir Mohammed

Laboratory of Polymer Chemistry, Département of Chemistry, Faculty of Sciences, Oran University,
BP 1524.EI M'nouar. 31000 Oran, Algeria.

Accepted 25 August, 2014

Cyclic and linear phosphazenes are characterized by a repeating unit $[-N=PR_1R_2]_n$ in which nitrogen is trivalent and phosphorus pentavalent. Ring sizes for the cyclic derivatives vary from three to about forty repeating units whereas for the linear polyphosphazenes derivatives are known which contain up to 15000 repeating units. Algerien (MMT) called "Maghnite-H⁺" has been a sheet silicate clay, exchanged with protons to produce "H-Maghnite" shown to be an efficient catalyst for cationic polymerisation of many heterocyclic and vinylic monomers. The structural compositions of "Maghnite" have already been determined. The synthesis of a phosphazenes derivative, hexa-allylamino-cyclotriphosphazene (HACTP) induced by Maghnite was performed under optimum conditions at 20°C in bulk. Experiments revealed that the reaction induced by "H-Maghnite" proceeds in bulk. The prepared samples were subsequently characterized by FTIR spectroscopy, and 1H-NMR spectroscopy. It should be noted that the product coating containing 1wt. %, 3wt. % and 5wt. % of clay loading were found to exhibit an observable structure, physicochemical properties and controlled molecular weight.

Key words: 1H-NMR spectroscopy, DSC, nucleophilic substitution, cyclic structure, Maghnite-H⁺, phosphazenes, hexa-allylamino-cyclotriphosphazene, allylamine, MALDI-TOF.

INTRODUCTION

Polyphosphazenes (or phosphonitrile or azaphosphorine) are compounds inorganic substances which belong to an important class of cyclic or linear structure with the general formula $(R_2P=N)_n$. The degree of polymerization may vary from 3 to more thousands and (R) may be halogen, alkyl, aryl, amino, alkoxy and other groups (Yi-Zhong et al., 2006). Most of the structures of phosphazenes are easily synthesized by aminolysis of phosphorus pentachloride, PCl_5 . The chlorophosphazenes $(Cl_2P=N)_n$ are the starting compounds for the preparation of almost all phosphazenes. Christova et al (2003: 6: 11-21) have prepared allyl-substituted cyclophosphazènes for use as crosslinking agents in the polymerization of 2-hydroxyethyl methacrylate (HEMA) or in the synthesis of

composites with good optical transparency and good flame resistance, compared to poly (dichlorophosphazene). A phosphazenes derivative, hexa-allylamino-cyclotriphosphazene (HACTP) was synthesized through the aminolysis of hexa-chloro-cyclotriphosphazene with excess allylamine (Christova et al., 2003: 52(10): 1600 - 1604). Their potential applications included polymer electrolytes (Nakamura et al., 2003), and biodegradable materials (Bindzus et al., 2002).

Montmorillonite have both Bronsted and Lewis acid

*Corresponding author. E-mail: ramaek23@yahoo.fr. Tel: +213773157287.

sites and when exchanged with cations having a high charge density, as protons, they produce highly active catalysts for acid-catalysed reactions (Belbachir et al., 2003: 4: 548-561). It has been demonstrated that intercalated organic molecules on the surface of montmorillonite are mobile and can be highly polarized; if intercalated they are in the space between the charged clay layers (Ray and Okamoto, 2003; Hasegawa et al., 2000). This study examines the catalytic activity of Algerian proton exchanged montmorillonite clay (Maghnite-H⁺). It was demonstrated that there is an excellent correlation between the acid treatment and the catalytic activity of Maghnite-H⁺ (Belbachir and Bensaoula, 2006).

It was possible to obtain organophosphazenes compounds under very mild operating conditions using this ecologic and friendly catalyst layer called Maghnite-H⁺ (Algerian MMT). HACTP was prepared from organophosphazènes monomers nucleophilic substitution on hexachlorocyclophosphazène by allylamine using a method previously described by Christova et al. (2003) 18(12): 1067 - 1073). Secondly, this monomer was prepared by a new method using Maghnite-H⁺ and changing the solvent from benzene to diethyl ether.

MATERIALS AND METHODS

Materials

The maghnite (MMT) used in this work came from a quarry located in Maghnia (North West of Algeria) and was supplied by the company "ENOF" (Algerian manufacture specialized in the production of nonferric products and useful substances). Allylamine CH₂ = CH-CH₂NH₂ (98%) GC was obtained from laboratory FLUKA AG (Buchs) SG. Benzene (99%), boiling point: 80°C, mp: 5.50°C was obtained from Sigma Aldrich.

Testing methods

¹H nuclear magnetic resonance (NMR) measurements were carried out on a 300 MHz Bruker NMR Spectrometer (Germany) in CDCl₃. Tetramethylsilane (TMS) was used as the internal standard in these cases.

The thermograms obtained have been made in a laboratory of the Molecular Chemistry, University of Burgundy (ICMUB) DIJON 1 option unit 500 MT GATM Hi-ResTM MFC STD. DSC measurements were carried out on a TA Instrument, according to the following program: the specimens were first heated from ambient temperature to 250°C at 10°C/mn maintained at this temperature for 5 min and then cooled to 25°C at 20°C/mn. The thermal stability tests were performed on a TA Instrument (TGA Q500) by heating the samples from 20 to 550°C at 20°C/mn. DTG thermograms gave the variations of the weight loss derivative as a function of temperature.

The MALDI-TOF spectra were obtained in a Bruker Ultra flex (Germany); the samples were prepared in methanol with DHBA as matrix or with CHCl₃ as template.

Preparation of the catalyst

Maghnite-H⁺ were prepared by a method similar to that described by Belbachir et al. (2003), 4(11): 572-585). Raw maghnite (20 g) was crushed for 20 min using a Prolabo ceramic ball grinder. It was then dried by baking at 105°C for 2 h. The maghnite was then weighed and placed in an Erlenmeyer flask together with distilled water (500 ml) and magnetically stirred. The maghnite/water mixture was combined with H₂SO₄ until saturation was achieved. After 2 days at room temperature, the mineral was washed with water until it became sulfate free and then dried at 150°C. H₂SO₄ solutions of 0.25 M concentration was used to prepare Maghnite-H⁺.

Thermal stability of the catalyst

The thermal characterizations of the heading show that the catalyst was conducted by a thermogravimetric analysis TGA. Figure 2 shows the weight losses (%) versus temperature (°C) curves for pure Maghnite-Na. The TGA of pure Maghnite-Na⁺ show two stages of weight loss. The first weight loss in maghnite-Na⁺ below 100°C was the result of the release of free water. The second weight loss around 600°C is associated with the dehydroxylation of the silicate structure (Rahmouni et al., 2013: 1(6): 175-181; Rahmouni et al., 2013: 8(1): 20-26). The total weight loss is only 14.3% up to 150°C. As can be expected, Maghnite-Na⁺ shows a high thermal stability (Figure 1).

Procedures of synthesis

Synthesis of HACTP was conducted from the hexa (chlorocyclotriphosphazene) and allylamine as starting materials with benzene as solvent at 20°C for 24 h. The substitution on the nucleophilic hexa chlorocyclotriphosphazene (N₃P₃Cl₆) by allylamine (NH₂-CH₂-CH = CH₂) was performed, as was described by Johnson et al. (1992): 915-935):

As shown by the chemistry, 3.03 ml of allylamine were diluted in 3.33 ml of benzene and on the other hand, 1 g (0.0028 mol) of N₃P₃Cl₆ was dissolved in 5 ml of benzene. Afterwards, these two solutions were mixed and left under stirring for 24 h at room temperature. The solvent was evaporated in a rot vapor, the resulting solid was extracted several times with diethyl ether at 20°C and the product was then cooled to 20°C and recrystallized from cyclohexane. The material was obtained as white crystals with a yield of (64%). The product was characterized by: ¹H-NMR: 3.5 ppm (CH₂-NH), 5.8 ppm (CH = CH₂), 5.0, 5.1 ppm (CH = CH₂), IR: 3232 cm⁻¹ (NH), 1248 cm⁻¹ (P = N), 1644 cm⁻¹ (C = C).




Figure 1. TGA curves of a Maghnite- Na^+ obtained in nitrogen atmosphere at heating rate of $10^\circ\text{C}/\text{min}$.




Figure 2. FTIR spectrum of HACTP induced by Maghnite- H^+ (0.25 M) at room temperature.

The reaction conditions were described in Table 1.

Another synthesis of HACTP was carried out by a new method: from the hexa chlorocyclotriphosphazene and allylamine at 20°C using diethyl ether as solvent and a Mag- H^+ (5%). Finally, the reaction lasted for 12 h. Nucleophilic substitution on the allylamine by hexa


chlorocyclotriphosphazene was performed according to the same procedure as that used for the preceding reaction except that (0.05 g) Mag- H^+ was added and the solvent used was diethyl ether. The reaction time was reduced to 12 h. The solution was then filtered after adding CDCl_3 and Mag- H^+ was recovered. Then the

Table 1. Synthesis of hexa (allylamino) cyclotriphosphazene in benzene induced by Maghnite-H⁺ (0.25 M).

Product	Catalyst (Mag-H) ⁺	Solvent	Yield	Time (h)	Temperature (°C)
1	5%	Benzène	64%	24	20

Table 2. Synthesis of hexa (allylamino) cyclotriphosphazene in diethyl ether induced by Maghnite-H⁺ (0.25 M).

Product	Catalyst (Mag-H) ⁺	Solvent	Yield	Time (h)	Temperature (°C)
2	5%	Diethyl ether	74%	12	20

**Scheme 1.** Schematic representations of the synthesis of HACTP catalyzed by Maghnite-H⁺ (0.25 M).

filtrate was purified as for the preceding product, the product was white crystals with a yield of 74%. The product was also characterized by: ¹H-NMR: 1.2 ppm (NH), 3.5 ppm (CH₂-NH), 5.8 ppm (CH = CH₂), 5.1, 5.0 ppm (CH = CH₂), IR: 3450 cm⁻¹ (NH), 1254 cm⁻¹ (P = N), 1644 cm⁻¹ (C = C), RMN ³¹P: 12 ppm (three phosphors). MALDI-TOF: 471 g/mol (Table 2).

In the synthesis of HACTP, due to the hazards of benzene (carcinogen solvent), diethyl ether was used in the presence of Maghnite-H⁺ in achieving this synthesis under environmentally safe conditions. The reaction that took place is shown in Scheme 1:

RESULTS AND DISCUSSION

Figure 2 shows the FTIR spectra of HACTP. The characteristic IR peaks appeared at 3194.32 cm⁻¹ for NOH groups, and at 1642.28 and 909.38 cm⁻¹ for CAC bonds. The IR peak of the PAN bonds was shifted to 1176.19 cm⁻¹ as shown in Figure 2.

The ¹H-NMR spectra at 300 MHz (solvent CDCl₃) (Figure 3) was complicated, but the integrated ratios of aliphatic to aromatic protons were consistent with the structure of HACTP. The different peaks of HACTP were at ¹H-NMR: 1.2 (s, H_a), 3.4 (s, H_b), 5.8 (m, H_c, J_{dc}=17.1, J_{d'c}=10.1, J_{cb}=4.8), 5.1, 5.2 (d, H_d, J_{dd}=1.5, J_{d'c}=10.1), 7.2 (s, CDCl₃).

The chemical structure of HACTP was further supported by ¹³C-NMR. The ¹³C-NMR spectrum clearly shows three resonance peaks with their carbons assigned in Figure 4. The TGA data of HACTP shown in Figure 5 indicate a two-stage degradation behavior. By comparing to the mass spectrometry of HACTP, we suggest that the first stage of degradation at around 230-320°C was due to the cleavage of two allylamine groups remaining 56.89 wt % residue, and then proceeded with the cleavage of another two allylamine groups after 450°C (Ray and Okamoto, 2003).

The molecular weight of HACTP determined from the mass spectrometry is 925.335 (Figure 6). Another




Figure 3. $^1\text{H-NMR}$ spectrum of HACTP induced by Maghnite- H^+ at room temperature in CDCl_3 .




Figure 4. $^{13}\text{C-NMR}$ spectrum of hexa (allylamino) cyclotriphosphazene (HACTP) induced by Maghnite- H^+ (0.25 M).

significant observation on the mass spectrum of HACTP is its fragmentation to m/e 799.394, 696.042, 640.99, 582.987, 505.935 and 471.925. The major peaks at m/e 505.935, 471.925, 422.346 and 226.643 are contributed by the sequential cleavages of allylamine groups from HACTP and were contributed by the former fragments

plus one $[-\text{NH}]^+$ group (Mahesh et al., 2009). The DSC result shown in Figure 7 indicates that HACTP was a highly crystalline material with a melting temperature of 88.1°C . It was mildly reactive after being melted with the maximum reaction temperature at 198.9°C (Fukuoka et al., 2008).




Figure 5. TGA curves of HACTP obtained in nitrogen atmosphere at heating rate of 10°C/min.




Figure 6. Mass spectrum of hexa (allylamino) cyclotriphosphazene (HACTP) induced by Maghnite-H⁺ (0.25 M).

Conclusion

We have developed a new synthetic method to produce HACTP, which does not use inorganic acid but instead

uses an ecologic and non toxic catalyst clay as the proton source. This synthesis of HACTP avoids the hazards of benzene (carcinogenic solvent), using in its place diethyl ether in the presence of Maghnite-H⁺ where this synthesis




Figure 7. DSC curves of HACTP obtained in nitrogen atmosphere at a heating rate of 10°C/min.

was achieved under good conditions. The simplicity of the methods, good properties catalytic of the support catalyst (Maghnite-H⁺) and non toxic solvent make this an attractive method for the synthesis of HACTP.

REFERENCES

- Belbachir M, Bensaoula A (2001). "Composition and method for catalysis using bentonites," United States Patent Number: 6274527 B1.
- Belbachir M.,Yahiaoui A., Hachemaoui A. An Acid Exchanged Montmorillonite Clay-Catalyzed Synthesis of PolyepichlorhydrinInternational. J. Mol. Sci., 2003 4: 548–561.
- Belbachir M.,Yahiaoui A., Hachemaoui A. Cationic Polymerization of 1,2-Epoxypropane by an Acid Exchanged Montmorillonite Clay in the Presence of Ethylene Glycol. Int. J. Mol. Sci., 2003, 4(11): 572-585; doi:10.3390/i4110572.
- Belbachir, M ; Bensaoula, A, Composition and method for catalysis using bentonites, US patent, No7, 094-823 B2, 2006.
- Bindzus W., Livings S.J., Gloria-Hernandez H., Fayard G., van Lengerich B. and Meuser F. Glass transition of extruded wheat, corn and rice starch. Starch 2002, 54: 393-398.
- Christova D., D.Markova, R.Velichkova. Synthesis of novel poly(vinyl methyl ether) copolymers by alkylation of poly(vinyl acetate) and poly(vinyl alcohol). Polymer International 09/2003; 52(10):1600 - 1604. DOI: 10.1002/pi.1346 .
- Christova D, Ivanova SD, Velichkova RS, Tzvetkova P, Mihailova P, Uzunov I, Lakov L, Peshev O (2003). Organic–inorganic composites based on cyclotriphosphazene-cross-linked PHEMA networks. Designed Monomers Polym, 6: 11-21.
- Christova D, Velichkova R,Goethals E (2003). Bis-macromonomers of 2-alkyl-2-oxazolines–synthesis and polymerization. Macromolecular Rapid Communications. 03/2003; 18(12): 1067 - 1073. DOI: 10.1002/marc. 1997.030181210.
- Fukuoka N, Yasuda H, Nishimatsu M, Ohmae Y (2008). Cyclic phosphazenes, process for preparing them, flame retardant containing them as active ingredient, and resin composition containing them and molded article therefrom.US patent no 7: 317,046,
- Hasegawa N, Okamoto H, Kawasumi M, Kato M, Tsukigase A, "Ousuki A (2000). Polyolefin–clay hybrids based on modifiedpolyolefins and organoclay". Macromol. Mater. 280/281,pp. 76–79,200.
- Johnson SD, Anderson JM, Marchant RE (1992). Biocompatibility studies on plasma polymerized interface materials encompassing both hydrophobic and hydrophilic surfaces, J. Biomed. Mater. Res., 26: 915-935.
- Mahesh DB, Basavaraja S, Balaji DS, Shivkumar V, Arunkumar A, Venkataraman L (2009). Preparation and characterization of Pani and Pani-Ag nanocomposites

- via interfacial polymerization". *Polym. Composit.*, 30(11): 1668-1677.
- Nakamura Y, Watanabe S, Miyake N, Kohno H, Osawa T (2003). Dihydrochalcones: evaluation as novel radical scavenging antioxidants. *Journal of Agriculture Food Chemistry*, 51: 309-3312.
- Rahmouni A, Harrane A, Belbachir M (2013). ¹H-NMR Spectra of Conductive, Anticorrosive and Soluble Polyaniline Exchanged by an Eco-Catalyst Layered (Maghnite-H⁺). *wod J. Chem.*, 8(1): 20-26.
- Rahmouni A, Harrane A, Belbachir M (2013). Maghnite-H⁺, an eco-catalyst layered (Algerian Montmorillonite) for synthesis of polyaniline/Maghnite clay nanocomposites. *Int. J. Chem. Mater. Sci.*, 1(6): 175-181.
- Ray S, Okamoto M (2003). "Polymer/Layered Silicate Nanocomposites: A Review from Preparation to Processing." *Prog. Polym. Sci.*, 28(11): 1539-1641.
- Ray S, Okamoto M (2003). "Polymer/Layered Silicate Nanocomposites: A Review from Preparation to Processing." *Prog. Polym. Sci.*, 28(11): 1539-1641.
- Yi-Zhong C, Mei S, Jie X, Qiong L, Harold C (2006). Structure-radical scavenging activity relationships of phenolic compounds from traditional Chinese medicinal plants. *Life Sci.*, 78(25): 2872-2888.